



The Chemical Company

**SAFETY DATA SHEET**  
**EMACO S150 CFR**

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING**

|                     |   |
|---------------------|---|
| PRODUCT NAME        | EMACO S150 CFR  |
| PRODUCT NO.         | 119036  |
| APPLICATION         | Repair mortar   |
| SUPPLIER            | BASF Construction Chemicals UK<br>Limited<br>Albany House<br>Swinton Hall Road<br>Swinton<br>Manchester<br>M274DT<br>+44(0)161 794 7411 |
| CONTACT PERSON      | EHSQ Officer  |
| EMERGENCY TELEPHONE | Telephone: 0161 794 7411. If outside normal working hours, please listen to answer machine message for emergency contact numbers.       |

**2 COMPOSITION/INFORMATION ON INGREDIENTS**

| Name            | EC No.    | CAS-No.    | Content | Classification |
|-----------------|-----------|------------|---------|----------------|
| Portland Cement | 266-043-4 | 65997-15-1 | 30-60%  | Xi;R38,R41.    |

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Modified sand - cement mixture

**3 HAZARDS IDENTIFICATION**

Irritating to respiratory system and skin. Risk of serious damage to eyes.

CLASSIFICATION Xi;R37/38, R41.

**4 FIRST-AID MEASURES**

GENERAL INFORMATION

This product contains cement. Cement produces an alkaline reaction with moisture or gauging water and therefore splashes of mortar, slurry or gauging water may cause skin irritation and/or caustic burns to mucous membranes (e. g. eyes). Avoid contact with eyes and prolonged skin contact.

INHALATION

Fresh air. Get medical attention if any discomfort continues.

INGESTION

Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash the skin immediately with soap and water.

EYE CONTACT

Important! Immediately rinse with water for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

**5 FIRE-FIGHTING MEASURES**

EXTINGUISHING MEDIA

The product is non-combustible.

PROTECTIVE MEASURES IN FIRE

No special measures required.

**6 ACCIDENTAL RELEASE MEASURES**

**EMACO S150 CFR****PERSONAL PRECAUTIONS**

Avoid inhalation of dust.

**ENVIRONMENTAL PRECAUTIONS**

No special measures required.

**SPILL CLEAN UP METHODS**

Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like.

**7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Avoid spread of dust.

**STORAGE PRECAUTIONS**

No specific storage precautions noted.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****INGREDIENT COMMENTS**

MAK: Lower toxic limit for cement 5 mg/m<sup>3</sup>. OES-LTEL: 4 R / 10 l mg/m<sup>3</sup>. Otherwise the product contains no relevant quantities of substances with workplace-related limit values.

**ENGINEERING MEASURES**

Not relevant.

**RESPIRATORY EQUIPMENT**

Wear respirator if there is dust formation.

**HAND PROTECTION**

Nitrile impregnated cotton-gloves. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**EYE PROTECTION**

Wear goggles/face shield.

**OTHER PROTECTION**

The usual precautionary measures when handling chemicals should be adhered to. The product contains < 2 ppm Cr VI.

**HYGIENE MEASURES**

When using do not eat, drink or smoke. Wash hands after handling. Use appropriate skin cream to prevent drying of skin.

**SKIN PROTECTION**

Protection suit must be worn.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

|   |                      |                    |                |
|---|----------------------|--------------------|----------------|
| APPEARANCE                                      | Powder, dust         |                    |                |
| COLOUR  | Grey                 |                    |                |
| ODOUR   | Almost odourless     |                    |                |
| SOLUBILITY                                      | Miscible with water. |                    |                |
| BOILING POINT (°C)                              | not applicable       | MELTING POINT (°C) | not determined |
| pH-VALUE, DILUTED SOLUTION                      | 12 - 13              | FLASH POINT (°C)   | not applicable |
| SOLUBILITY VALUE (g/100g H <sub>2</sub> O@20°C) | < 0,2                |                    |                |

**10 STABILITY AND REACTIVITY****STABILITY**

Stable when stored in a dry place.

**HAZARDOUS DECOMPOSITION PRODUCTS**

No hazardous decomposition products.

**11 TOXICOLOGICAL INFORMATION****TOXICOLOGICAL INFORMATION**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

## EMACO S150 CFR

### GENERAL INFORMATION

When used and handled according to specifications, the product does not have any harmful effects in our experience and according to the information provided to us. The product does not contain asbestos or any other mineral fibres or inhalable fine quartz dust hazardous to health and causing silicosis. The product is chlorine-free and contains no formaldehyde.

#### INHALATION

Irritating to respiratory system.

#### SKIN CONTACT

Irritating to skin.

#### EYE CONTACT

Risk of serious damage to eyes.

#### HEALTH WARNINGS

The product is reduced in chromate (contains < 2 ppm Cr VI). Within the indicated storage time sensitization is not expected.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

Do not allow product to reach ground water, water bodies or sewage system. No ecological studies are available. Harmful effects on man and environment are unknown and are not to be expected when application is in accordance with the instructions and the advice in this Safety Data Sheet. When handled properly and used as intended the product has no ecotoxic effects on the basis of our significant experience in ready-to-use cement mortars and chemical building materials and the information available to us.

#### WATER HAZARD CLASSIFICATION

WGK 1

## 13 DISPOSAL CONSIDERATIONS

### GENERAL INFORMATION

Waste is classified as special waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Smaller quantities can be disposed of with household waste.

#### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

#### WASTE CLASS

EWC: 01 04 07 wastes containing dangerous substances from physical and chemical processing of non-metalliferous minerals.

## 14 TRANSPORT INFORMATION

#### GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

## 15 REGULATORY INFORMATION

### LABELLING



Irritant

#### CONTAINS

Portland Cement

#### RISK PHRASES

|        |  |
|--------|--|
| R37/38 | Irritating to respiratory system and skin. |
| R41    | Risk of serious damage to eyes.            |

#### SAFETY PHRASES

|           |   |
|-----------|---|
| S2        | Keep out of the reach of children   |
| S22       | Do not breathe dust.  |
| S24/25    | Avoid contact with skin and eyes.   |
| S26       | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| S36/37/39 | Wear suitable protective clothing, gloves and eye/face protection.                            |
| S46       | If swallowed, seek medical advice immediately and show this container or label.               |

## EMACO S150 CFR

### EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EEC.

## 16 OTHER INFORMATION

### GENERAL INFORMATION

This data is based on our present knowledge. However, it shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

REVISION DATE 22/09/06

### RISK PHRASES IN FULL

R38 Irritating to skin.

R41 Risk of serious damage to eyes.